

Petro® BA Powder

Cleaning formulations, coupling / dispersing agent

Sodium Alkyl Naphthalene Sulfonate

Specification

Parameter	Limits	Method
Activity	95 % min	
Salt (NaCl)	2.5 % max	
Unulfonated oil	1.4 % max	
Moisture	2.0 % max	
pH	7.5 - 10.0 (5% solids)	
Appearance	Tan Powder at 25°C	

Typical Data

Chemical and Physical Data	Typical Value
Density	1.19 - 1.21 g/cc (Bulk)

Typical Data are based on our own measurements or derived from the literature. They do not constitute part of the delivery specification.

Features

Petro alkyl naphthalene sulfonates are regarded as surface-active hydrotropes. They exhibit characteristics such as wetting, foaming, detergency and surface tension reduction. They have excellent rinseability, acid and base stability, hard-water tolerance and high-temperature stability. These versatile surfactants are used in a variety of applications including carpet cleaners, transportation cleaners, rinse aids, metal cleaners, rust removers and hard surface cleaners.

PETRO is a registered trademark in many countries.

No representation or warranty, expressed or implied, is made as to the accuracy or completeness of the information of data contained herein and AkzoNobel Surface Chemistry shall have no obligation or liability whatsoever with respect to any such information or data, including, but not limited to, any liability for infringement of patent or other industrial property rights. AkzoNobel surface Chemistry disclaims all implied warranties of merchantability and fitness for a particular purpose. AkzoNobel Surface Chemistry shall in no event be liable for incidental or consequential damages, including, without limitation, lost profit, loss of income, loss of business opportunity and any other related costs and expenses.